

## Public Health Preparedness and Situational Awareness Report: #2021:16

Reporting for the week ending 04/24/21 (MMWR Week #16)

April 30th, 2021

#### **CURRENT HOMELAND SECURITY THREAT LEVELS**


**National:** No Active Alerts

**Maryland: ENHANCED** (MEMA status)

#### SYNDROMIC SURVEILLANCE REPORTS

**ESSENCE** (Electronic Surveillance System for the Early Notification of Community-based Epidemics): Graphical representation is provided for all syndromes (excluding the "Other" category; see Appendix 1) by Health and Medical Regions (See Appendix 2). Emergency department chief complaint data is presented as rates per 100,000 residents using data from the 2010 census. Electronic Surveillance System for the Early Notification of Community-Based Epidemics (ESSENCE). Baltimore, MD: Maryland Department of Health; 2021.

# **Gastrointestinal Syndrome**




There were two (2) Gastrointestinal Syndrome outbreaks reported this week, two (2) outbreaks of Gastroenteritis in Shelters (Region 3).

There was one (1) outbreak of Gastroenteritis / Foodborne associated with a Food Truck (Region 3)

|               | Gastrointestinal Syndrome Baseline Data<br>January 1, 2010 - Present |       |       |       |          |  |
|---------------|--|-------|-------|-------|----------|--|
| Health Region | 1&2  | 3     | 4     | 5     | Maryland |  |
| Mean Rate*    | 13.15  | 14.75 | 15.85 | 10.07 | 12.91    |  |
| Median Rate*  | 13.11  | 14.61 | 15.46 | 10.00 | 12.83    |  |

<sup>\*</sup> Per 100,000 Residents

## **Respiratory Syndrome**




There were one hundred and ten (110) Respiratory Syndrome outbreaks reported this week: Twelve (12) outbreaks of COVID-19 in Assisted Living Facilities (Regions 1&2,3,5), one (1) outbreak of COVID-19 in a Community (Regions 1&2), one (1) outbreak of COVID-19 in a Correctional Facility (Regions 1&2), twenty-two (22) outbreaks of COVID-19 in Daycare Facilities (Regions 1&2,3,5), thirteen (13) outbreaks of COVID-19 in Group Homes (Regions 1&2, 3,4), nine (9) outbreaks of COVID-19 in Hospitals (Regions 1&2,3), one (1) outbreak of COVID-19 in an Independent Living Facility (Region 3), eleven (11) outbreaks of COVID-19 in Nursing Homes (Regions 3,4,5), one (1) outbreak of COVID-19 in an Outpatient Facility (Region 3), twenty one (21) outbreaks of COVID-19 in Schools (Regions 1&2,3,4,5), one (1) outbreak of COVID-19 in a Shelter (Regions 1&2), one (1) outbreak of COVID-19 in a Skating Rink (Region 5), one (1) outbreak of COVID-19 in a Sober Living House (Region 3), seven (7) outbreaks of COVID-19 in Substance Use Treatment Programs (Region 3), two (2) outbreaks of COVID-19 in Transitional Housing Facilities (Regions 3,5), one (1) outbreak of COVID-19 in an Institute of Higher Education (Region 3), two (2) outbreaks of COVID-19 in Workplaces (Region 3), three (3) outbreaks of COVID-19 in Youth Sports Teams (Regions 1&2,3,4)

|               | Respiratory Syndrome Baseline Data<br>January 1, 2010 - Present |       |       |      |          |  |
|---------------|---|-------|-------|------|----------|--|
| Health Region | 1&2   | 3     | 4     | 5    | Maryland |  |
| Mean Rate*    | 12.46   | 14.72 | 15.24 | 9.92 | 12.73    |  |
| Median Rate*  | 12.10   | 14.03 | 14.35 | 9.47 | 12.15    |  |

<sup>\*</sup> Per 100,000 Residents

# **Fever Syndrome**




There were no Fever Syndrome outbreaks reported this week.

|               | Fever Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |
|---------------|---|------|------|------|----------|
| Health Region | 1&2   | 3    | 4    | 5    | Maryland |
| Mean Rate*    | 3.04  | 3.88 | 4.11 | 3.00 | 3.49     |
| Median Rate*  | 2.82  | 3.73 | 3.97 | 2.88 | 3.35     |

\*Per 100,000 Residents

# **Localized Lesion Syndrome**




There were no Localized Lesion Syndrome outbreaks reported this week.

|               | Localized Lesion Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |  |
|---------------|--|------|------|------|----------|--|
| Health Region | 1&2  | 3    | 4    | 5    | Maryland |  |
| Mean Rate*    | 1.16   | 1.68 | 1.96 | 0.86 | 1.34     |  |
| Median Rate*  | 1.01   | 1.64 | 1.77 | 0.83 | 1.29     |  |

<sup>\*</sup> Per 100,000 Residents

# **Rash Syndrome**




There were no Rash Syndrome outbreak reported this week.

|               | Rash Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |  |
|---------------|--|------|------|------|----------|--|
| Health Region | 1&2  | 3    | 4    | 5    | Maryland |  |
| Mean Rate*    | 1.18   | 1.56 | 1.65 | 0.91 | 1.29     |  |
| Median Rate*  | 1.01   | 1.53 | 1.55 | 0.87 | 1.27     |  |

<sup>\*</sup> Per 100,000 Residents

# **Neurological Syndrome**




There were no Neurological Syndrome outbreaks reported this week.

|               | Neurological Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |  |
|---------------|--|------|------|------|----------|--|
| Health Region | 1&2  | 3    | 4    | 5    | Maryland |  |
| Mean Rate*    | 0.83   | 1.02 | 0.95 | 0.66 | 0.86     |  |
| Median Rate*  | 0.81   | 0.99 | 0.88 | 0.61 | 0.84     |  |

<sup>\*</sup> Per 100,000 Residents

# **Severe Illness or Death Syndrome**




There were no Severe Illness or Death Syndrome outbreaks reported this week.

|               | Severe Illness or Death Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |  |  |
|---------------|---|------|------|------|----------|--|--|
| Health Region | 1&2   | 3    | 4    | 5    | Maryland |  |  |
| Mean Rate*    | 0.66  | 0.88 | 0.85 | 0.55 | 0.73     |  |  |
| Median Rate*  | 0.60  | 0.84 | 0.88 | 0.52 | 0.70     |  |  |

<sup>\*</sup> Per 100,000 Residents

## SYNDROMES RELATED TO CATEGORY A AGENTS

# **Botulism-like Syndrome**




There was an appreciable increase above baseline in the rate of ED visits for Botulism-like Syndrome on 4/11 (Regions 1&2,3), 4/12 (Regions 1&2,5), 4/14 (Regions 1&2,5), 4/16 (1&2,3,5), 4/17 (Region 4), 4/18 (Region 4), 4/19 (Regions 1&2,3,4,5), 4/20 (1&2), 4/21 (1&2), 4/22 (Region 4), 4/23 (Region 4), 4/24 (Regions 1&2,4). These increases are not known to be associated with any outbreaks.

|               | Botulism-like Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |      |
|---------------|---|------|------|------|------|
| Health Region | 1&2 3 4 5 Maryla  |      |      |      |      |
| Mean Rate*    | 0.08  | 0.14 | 0.07 | 0.09 | 0.11 |
| Median Rate*  | 0.00  | 0.11 | 0.00 | 0.09 | 0.10 |

<sup>\*</sup> Per 100,000 Residents

# Hemorrhagic Illness Syndrome




There was an appreciable increase above baseline in the rate of ED visits for Hemorrhagic Illness Syndrome on 4/11 (Regions 1&2,4), 4/12 (Regions 1&2), 4/14 (Regions 1&2), 4/16 (Regions 1&2), 4/17 (Regions 1&2), 4/18 (Regions 1&2). These increases are not known to be associated with any outbreaks.

|               | Hemorrhagic Illness Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |  |  |
|---------------|---|------|------|------|----------|--|--|
| Health Region | 1&2   | 3    | 4    | 5    | Maryland |  |  |
| Mean Rate*    | 0.05  | 0.17 | 0.04 | 0.15 | 0.14     |  |  |
| Median Rate*  | 0.00  | 0.11 | 0.00 | 0.09 | 0.12     |  |  |

<sup>\*</sup> Per 100,000 Residents

# Lymphadenitis Syndrome



There was an appreciable increase above baseline in the rate of ED visits for Lymphadenitis Syndrome on 4/11 (Regions 1&2), 4/12 (Regions 1&2), 4/13 (Regions 1&2), 4/14 (Regions 1&2), 4/16 (Regions 1&2), 4/17 (Regions 1&2), 4/20 (Regions 1&2), 4/21 (Regions 1&2), 4/22 (Regions 1&2). These increases are not known to be associated with any outbreaks.

|               | Lymphadenitis Syndrome Baseline Data<br>January 1, 2010 - Present |      |      |      |          |  |  |
|---------------|---|------|------|------|----------|--|--|
| Health Region | 1&2   | 3    | 4    | 5    | Maryland |  |  |
| Mean Rate*    | 0.40  | 0.61 | 0.41 | 0.40 | 0.50     |  |  |
| Median Rate*  | 0.40  | 0.55 | 0.44 | 0.35 | 0.47     |  |  |

<sup>\*</sup> Per 100,000 Residents

## MARYLAND REPORTABLE DISEASE SURVEILLANCE

## Coronavirus Disease 2019 (COVID-19) Situation Summary

On March 5<sup>th</sup>, 2020, the Maryland Department of Health announced the first cases of coronavirus disease 2019 (abbreviated COVID-19) in the State of Maryland.

## Confirmed COVID-19 Case Counts in Maryland by County (As of April 30th, 2021)

| County           | Number of       |
|------------------|-----------------|
|                  | Confirmed Cases |
| Allegany         | 6,821           |
| Anne Arundel     | 42,512          |
| Baltimore City   | 50,930          |
| Baltimore County | 63,446          |
| Calvert          | 4,148           |
| Caroline         | 2,260           |
| Carroll          | 9,108           |
| Cecil            | 6,029           |
| Charles          | 10,524          |
| Dorchester       | 2,702           |
| Frederick        | 19,428          |
| Garrett          | 1,981           |
| Harford          | 16,070          |
| Howard           | 18,862          |
| Kent             | 1,312           |
| Montgomery       | 69,805          |
| Prince George's  | 82,965          |
| Queen Anne's     | 2,925           |
| Somerset         | 2,538           |
| St. Mary's       | 5,824           |
| Talbot           | 2,068           |
| Washington       | 14,151          |
| Wicomico         | 7,435           |
| Worcester        | 3,557           |
| Total            | 447,401         |


The most up-to-date information may be found on the Maryland Department of Health website at https://coronavirus.maryland.gov.

## SYNDROMIC INFLUENZA SURVEILLANCE

Seasonal Influenza reporting occurs from MMWR Week 40 through MMWR Week 20 (October 2020 through May 2021). Due to the COVID-19 pandemic, influenza reporting will be extended to the beginning of the 2021-2022 reporting season (MMWR Week 40/Week Ending October 9, 2021).

Seasonal Influenza activity for Week 16 was: Minimal


#### **Influenza-like Illness**



|               | Influenza-like Illness Baseline Data<br>Week 1 2010 - Present |       |       |       |          |  |
|---------------|---|-------|-------|-------|----------|--|
| Health Region | 1&2   | 3     | 4     | 5     | Maryland |  |
| Mean Rate*    | 10.05   | 13.90 | 13.21 | 11.60 | 12.64    |  |
| Median Rate*  | 7.36  | 10.19 | 9.39  | 8.45  | 9.19     |  |


<sup>\*</sup> Per 100,000 Residents

# Influenza-like Illness Contacts by Week



**Disclaimer on eMEDS flu related data**: These data are based on EMS Pre-hospital care reports where the EMS provider has selected "flu like illness" as a primary or secondary impression of a patient's illness. This impression is solely based on the signs and symptoms seen by the provider, not on any diagnostic tests. Since these numbers do not include all primary or secondary impressions that may be seen with influenza the actual numbers may be low. These data are reported for trending purposes only.

## **Over-the-Counter Influenza-Related Medication Sales**




There was no appreciable increase above baseline in the rate of OTC Medication Sales during this reporting period.

|               | OTC Medication Sales Baseline Data<br>January 1, 2010 - Present |      |      |      |          |
|---------------|---|------|------|------|----------|
| Health Region | 1&2   | 3    | 4    | 5    | Maryland |
| Mean Rate*    | 3.19  | 4.05 | 2.48 | 7.35 | 5.12     |
| Median Rate*  | 2.42  | 3.05 | 2.21 | 6.37 | 4.25     |

<sup>\*</sup> Per 100,000 Residents

## **Over-the-Counter Thermometer Sales**



There was no appreciable increase above baseline in the rate of OTC Thermometer Sales during this reporting period.

|               | Thermometer Sales Baseline Data<br>January 1, 2010 - Present |      |      |      |          |
|---------------|--|------|------|------|----------|
| Health Region | 1&2  | 3    | 4    | 5    | Maryland |
| Mean Rate*    | 2.65   | 2.51 | 2.05 | 3.32 | 2.80     |
| Median Rate*  | 2.42   | 2.48 | 1.99 | 3.32 | 2.83     |


<sup>\*</sup> Per 100,000 Residents

#### SYNDROMIC OVERDOSE SURVEILLANCE

The purpose of this section is to characterize non-fatal ED visit trends for acute unintentional overdose by Heroin, Opioid or Unspecified substance among Maryland residents captured by ESSENCE data, including chief complaint and discharge diagnosis. ED visits that are identified as unintentional overdose by Heroin, Opioid or Unspecified substance include those with medical and non-medical use of a prescription Opioid or where the substance is not specified, given evidence that most fatal overdoses are Opioid-related.


In preparation for the release of new ESSENCE queries for identifying heroin, opioid and all drug overdoses, please note that we have removed the data chart showing unintentional overdose rates by heroin, opioid, or unspecified substances. These new data, when available, will be presented below.

# Naloxone Administration Data by Week



**Disclaimer on eMEDS naloxone administration related data**: These data are based on EMS Pre-hospital care reports where the EMS provider has documented that they administered naloxone. The administration of naloxone is based on the patient's signs and symptoms and not on any diagnostic tests. These data are reported for trending purposes only.

## **Naloxone Administration Data**



**Disclaimer on eMEDS Naloxone administration related data**: These data are based on EMS Pre-hospital care reports where the EMS provider has documented that they administered naloxone. The administration of naloxone is based on the patient's signs and symptoms and not on any diagnostic tests. These data are reported for trending purposes only.

#### PANDEMIC INFLUENZA UPDATE / AVIAN INFLUENZA-RELATED REPORTS

**WHO update:** The current WHO phase of pandemic alert for avian influenza is ALERT. Currently, the avian influenza H5N1 virus continues to circulate in poultry in some countries, especially in Asia and northeast Africa. This virus continues to cause sporadic human infections with some instances of limited human-to-human transmission among very close contacts. There has been no sustained human-to-human or community-level transmission identified thus far.

Influenza A (H7N9) is one of a subgroup of influenza viruses that normally circulate among birds. Until recently, this virus had not been seen in people. However, human infections have now been detected. Presently, there is limited information about the scope of the disease the virus causes and about the source of exposure. The disease is of concern because most patients have been severely ill. There is no indication thus far that it can be transmitted between people, but both animal-to-human and human-to-human routes of transmission are being actively investigated.

**Alert phase**: This is the phase when influenza caused by a new subtype has been identified in humans. Increased vigilance and careful risk assessment, at local, national, and global levels are characteristic of this phase. If the risk assessments indicate that the new virus is not developing into a pandemic strain, a de-escalation of activities towards those in the interpandemic phase may occur. As of April 30th, 2021, the WHO-confirmed global total (2003-2020) of human cases of H5N1 avian influenza virus infection stands at 862, of which 455 have been fatal. Thus, the case fatality rate for human H5N1 is approximately 53%.

#### **AVIAN INFLUENZA**

**AVIAN INFLUENZA (GERMANY, BULGARIA),** 28 April 2021, [The 35 outbreaks of HPAI H5N8 occurred in the state of Baden-Wurttemberg. Read More: https://promedmail.org/promed-post/?id=8334188

**AVIAN INFLUENZA (RUSSIA),** 26 April 2021, Highly pathogenic influenza A viruses (infection with) (non-poultry including wild birds), Russia. Read More: <a href="https://promedmail.org/promed-post/?id=8329375">https://promedmail.org/promed-post/?id=8329375</a>

**AVIAN INFLUENZA (ROMANIA, SLOVAKIA),** 24 April 2021 Affected population: One single very small backyard holding. Owner observed sudden mortality by 4 out of 6 hens kept in the backyard holding. Read More: <a href="https://promedmail.org/promed-post/?id=8325211">https://promedmail.org/promed-post/?id=8325211</a>

#### **HUMAN AVIAN INFLUENZA**

**AVIAN INFLUENZA, HUMAN (CHINA),** 25 April 2021, According to media news articles on 22 Apr 2021 [see source URLs below], Hong Kong's Center for Health Protection (CHP) reported in their avian influenza update a human case of avian influenza A (H9N2). Read More: https://promedmail.org/promed-post/?id=8327505

#### NATIONAL DISEASE REPORTS

**CORONAVIRUS DISEASE 2019 UPDATE (USA),** 28 April 2021, Today [27 Apr 2021] the Centers for Disease Control and Prevention (CDC) said fully vaccinated Americans no longer need to wear masks during bike rides, runs, small outdoor gatherings with friends, or dining outdoors at restaurants. Read More: https://promedmail.org/promed-post/?id=8334213

**BOTULISM (USA),** 25 April 2021, Faribault Foods, Inc. is voluntarily recalling 15-ounce cans of S&W Organic Black Beans, 15-ounce cans of O Organic Brand Black Beans, and 15-ounce cans of O Organic Brand Chili Beans because the cans may have a compromised hermetic seal. Read More: <a href="https://promedmail.org/promed-post/?id=8326118">https://promedmail.org/promed-post/?id=8326118</a>

**SALMONELLOSIS** (**USA**), 23 April 2021, Federal officials are investigating a new \_Salmonella\_ outbreak that is linked to brie and dips from Jule's Foods. Read More: https://promedmail.org/promed-post/?id=8325134

#### **INTERNATIONAL DISEASE REPORTS**

**YELLOW FEVER (DEMOCRATIC REPUBLIC OF CONGO),** 28 April 2021, The Democratic Republic of the Congo today [27 Apr 2021] launched a preventive yellow fever vaccination campaign targeting more than 16.3 million people Read More: <a href="https://promedmail.org/promed-post/?id=8332877">https://promedmail.org/promed-post/?id=8332877</a>

**BRUCELLOSIS** (**ALGERIA**), 27 April 2021, The agricultural and veterinary authorities of Mashdalala, east of the Wilaya (state) of Bouira, have sent an appeal to residents to avoid purchase and consumption of milk and any related products from unknown sources. Read More: <a href="https://promedmail.org/promed-post/?id=8332274">https://promedmail.org/promed-post/?id=8332274</a>

**E. COLI EHEC** (**ENGLAND**), 27 April 2021, An \_E. coli\_ O157 outbreak in the United Kingdom that affected 36 people has been linked to a fast-food product containing imported cucumbers. Read More: <a href="https://promedmail.org/promed-post/?id=8332275">https://promedmail.org/promed-post/?id=8332275</a>

**EBOLA UPDATE** (**GUINEA**, **NIGERIA**), 26 April, The 1st known case is a female healthcare professional who initially contacted Gueke Medical Center on 18 Jan 2021. Read More: <a href="https://promedmail.org/promed-post/?id=8328149">https://promedmail.org/promed-post/?id=8328149</a>

**RABIES** (**PAKISTAN**), 25 April 2021, A man from the city of Thatta in Sindh province, Pakistan died from rabies after a dog bite due to the local hospital not having rabies post-exposure prophylaxis (PEP). Read More: <a href="https://promedmail.org/promed-post/?id=8327732">https://promedmail.org/promed-post/?id=8327732</a>

**CORONAVIRUS DISEASE 2019 UPDATE (GLOBAL),** 24 April 2021, Today [Fri 23 Apr 2021] the Advisory Committee on Immunization Practices (ACIP), the independent group of experts that advises the Food and Drug Administration (FDA) and Centers for Disease Control and Prevention (CDC), recommended that the Johnson & Johnson COVID-19 vaccine be reinstated in the Unites States' vaccination campaign in a 10 to 4 vote. Read More: <a href="https://promedmail.org/promed-post/?id=8326482">https://promedmail.org/promed-post/?id=8326482</a>

### OTHER RESOURCES AND ARTICLES OF INTEREST

More information concerning Public Health and Emergency Preparedness can be found at the Office of Preparedness and Response website: <a href="http://preparedness.health.maryland.gov/">http://preparedness.health.maryland.gov/</a> or follow us on Facebook at <a href="http://www.facebook.com/MarylandOPR">www.facebook.com/MarylandOPR</a>.

More data and information on influenza can be found on the MDH website: <a href="http://phpa.health.maryland.gov/influenza/fluwatch/Pages/Home.aspx">http://phpa.health.maryland.gov/influenza/fluwatch/Pages/Home.aspx</a>

Please participate in the Maryland Resident Influenza Tracking System (MRITS): <a href="http://flusurvey.health.maryland.gov">http://flusurvey.health.maryland.gov</a>

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

**NOTE**: This weekly review is a compilation of data from various surveillance systems, interpreted with a focus on a potential BT event. It is not meant to be inclusive of all epidemiology data available, nor is it meant to imply that every activity reported is a definitive BT event. International reports of outbreaks due to organisms on the CDC Critical Biological Agent list will also be reported. While not "secure", please handle this information in a professional manner. Please feel free to distribute within your organization, as you feel appropriate, to other professional staff involved in emergency preparedness and infection control.

For questions about the content of this review or if you have received this and do not wish to receive these weekly notices, please e-mail us. If you have information that is pertinent to this notification process, please send it to us to be included in the routine report.

#### **Prepared By:**

Office of Preparedness and Response, Maryland Department of Health 7462 Candlewood Rd, Hanover, MD 21076

Peter Fotang, MD, MPH Epidemiologist, Biosurveillance Program

Office: 443-628-6555

Email: Peter.Fotang@maryland.gov

Jessica Acharya (Goodell), MPH Career Epidemiology Field Officer, CDC

Office: 443-628-6583

Email: Jessica. Acharya@maryland.gov

# Appendix 1: ESSENCE Syndrome Definitions and Associated Category A Conditions

| Syndrome                   | ESSENCE Definition   | Category A<br>Conditions         |  |
|----------------------------|--|----------------------------------|--|
| Botulism-like              | (Botulism or (DifficultyFocusing and DifficultySpeaking) or (DifficultySpeaking and DifficultySwallowing) or (DifficultySwallowing and DifficultyFocusing) or DoubleVision or FacialParalysis or GuillainBarre or Ptosis) and not GeneralExclusions  | Botulism                         |  |
| Fever                      | (Chills or (FeverPlus and (Drowsiness or Seizure)) or FeverOnly or SepsisGroup or ViralSyndrome) and not GeneralExclusions   | N/A                              |  |
| Gastrointestinal           | (AbdominalCramps or AbdominalPainGroup or Diarrhea or FoodPoisoning or Gastroenteritis or GIBleeding or Peritonitis or Vomiting) and not (GeneralExclusions or Gynecological or Obstetric or Reproductive or UrinaryTract)   | Anthrax<br>(gastrointestinal)    |  |
| Hemorrhagic<br>Illness     | (FeverOrChills and (AcuteBloodAbnormalitiesGroup or BleedingFromMouth or BleedingGums or GIBleeding or Hematemesis or Hemoptysis or Nosebleed or Petechiae or Purpura)) and not GeneralExclusions  | Viral Hemorrhagic Fever          |  |
| Localized<br>Lesion        | (Boils or Bump or Carbuncle or DepressedUlcer or Eschar or Furuncle or InsectBite or SkinAbscess or (SkinSores and not AllOverBody) or SkinUlcer or SpiderBite) and not (GeneralExclusions or Decubitus or Diabetes or StasisUlcer)  | Anthrax (cutaneous)<br>Tularemia |  |
| Lymphadenitis              | (BloodPoisoning or Bubo or CatScratchDisease or SwollenGlands) and not GeneralExclusions   | Plague (bubonic)                 |  |
| Neurological               | (([Age<75] and AlteredMentalStatus) or (FeverPlus and (Confusion or Drowsiness or Petechiae or StiffNeck)) or Delirium or Encephalitis or Meningitis or UnconsciousGroup) and not GeneralExclusions  | N/A                              |  |
| Rash                       | (ChickenPox or Measles or RashGeneral or Roseola or (Rubella and not Pregnancy) or Shingles or (SkinSores and AllOverBody) or Smallpox) and not GeneralExclusions  | Smallpox                         |  |
| Respiratory                | (Anthrax or Bronchitis or (ChestPain and [Age<50]) or Cough or Croup or DifficultyBreathing or Hemothorax or Hypoxia or Influenza or Legionnaires or LowerRespiratoryInfection or Pleurisy or Pneumonia or RespiratoryDistress or RespiratoryFailure or RespiratorySyncytialVirus or RibPain or ShortnessOfBreath or Wheezing) and not (GeneralExclusions or Cardiac or (ChestPain and Musculoskeletal) or Hyperventilation or Pneumothorax) |                                  |  |
| Severe Illness or<br>Death | CardiacArrest or CodeGroup or DeathGroup or (Hypotension and FeverPlus) or RespiratoryArrest or SepsisGroup or Shock   | N/A                              |  |

Appendix 2: Maryland Health and Medical Region Definitions

| Health and Medical Region | Counties Reporting to ESSENCE |  |  |
|---------------------------|-------------------------------|--|--|
|                           | Allegany County               |  |  |
| Pagions 1 & 2             | Frederick County              |  |  |
| Regions 1 & 2             | Garrett County                |  |  |
|                           | Washington County             |  |  |
|                           | Anne Arundel County           |  |  |
|                           | Baltimore City                |  |  |
| Region 3                  | Baltimore County              |  |  |
| Region 5                  | Carroll County                |  |  |
|                           | Harford County                |  |  |
|                           | Howard County                 |  |  |
|                           | Caroline County               |  |  |
|                           | Cecil County                  |  |  |
|                           | Dorchester County             |  |  |
|                           | Kent County                   |  |  |
| Region 4                  | Queen Anne's County           |  |  |
|                           | Somerset County               |  |  |
|                           | Talbot County                 |  |  |
|                           | Wicomico County               |  |  |
|                           | Worcester County              |  |  |
|                           | Calvert County                |  |  |
|                           | Charles County                |  |  |
| Region 5                  | Montgomery County             |  |  |
|                           | Prince George's County        |  |  |
|                           | St. Mary's County             |  |  |

